
50" TD-E501 TD-E501

Overview

Toshiba's E Signage Series is designed exclusively for 16/7 digital signage applications.

Available in 40", 50" and 65", they feature a slimline, Stylish design. Bringing a brilliant Full High Definition picture and offer a 178° ultra-wide viewing angle. With their optional* OPS (Open Pluggable Specification) slot they're the perfect choice to roll out easy signage solutions such as menu boards, retail and hotel lobbies.

THE TOSHIBA
TD-E501
FULL HD,
PROFESSIONAL 16/7
DIGITAL SIGNAGE



50" TD-E501 TD-E501

Audio

Speakers 10Wx2

Display

Screen Size 50"
Screen Type Edge LED
Resolution 1920 x 1080
Brightness 500cd/m²
Panel Contrast Ratio 1200:1
Viewing Angle 178:178 (H:V)
Response Time (G toG) 6ms

Connectivity

Input (Video) HDM x1, 1D-SUB (RGB/YPbPr) x1
Input (Audio) Audio mini-jack x 1
Output (Audio) Audio mini-jack x 1
External Control RS232

Power

Power Supply AC100~240V±10%(50/60Hz)
Power Consumption (W) 100
Standby Power Consumption (W) <0.5

Dimensions

Dimensions (W x H x D) mm, without Stand (W)1120 x (H)645.5 x (D)78.5
Dimensions (W x H x D) mm - Packed (W)1265 x (H)735 x (D)150
Weight (Net) without Stand 22kg
Weight (Net) - Packed 23.5kg
Wall Mount Details VESA(400mm x 400mm, M6)
Bezel Width 10.4mm Top/Bottom 10.4mm Left/Right

Environment

Operating Temperature 0 to 50 [deg C]
Usage Rating 16/7
Orientation Portrait / Landscape
Humidity 10 - 90 % (without condensation)

Features

Key Features OPS Slot, Power On Delay, Luminance Uniformity Control, Colour Uniformity Control, Luminance Variability Control, Colour temperature control, Signal Power Off, RS232 External Control
Special Features 2 x Stereo 10W speakers,
2 Channel Speaker Output

Accessories

Included Accessories Remote control, 2 batteries (AAA)
Optional Accessories OPS-PC Advantech ARK-DS262 & ARK-DS220

Compliance

Compliance EN 55022:2010/AC:2011 /EN 55024:2010/ EN 61000-3-2:2006+A1:2009+A2:2009/EN 61000-3-3:2008/EN 301489 – 1 V1.9.2/EN 301489 – 17 V2.2.1/EN 300 328 V1.8.1/EN 301 893 V1.7.1/ IEC 60950-1:2005+A1:2009+A2:2013/EN 60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013

Warranty

Warranty* 3 Year, 16/7 Commercial Usage Warranty

Design and specifications are subject to change without prior notice. All images and videos are for illustration purposes only.

**Terms and conditions apply, please refer to the [Limited Warranty Statement](#).*